



ESM T8

www.toryapgrup.ro

# **Standard Equipment and Technical Specifications**



### SPRAY GUN

25 mm 30 degree angle Long and turret



#### **AIR HOSE**

Thickness 11 mm Length 15 mt



#### ROTOR AND STATOR

Pump D6-3 Twister Capacity 28 lt/400 rpm



# **ESM MACHINE**



## **TECHNICIAL SPECIFICATIONS**

- -Suction capacity: Yakl. 250 Lt/Mins -Incitement: 900 W, 1430 transfer / Mins, 380 V, 50 Hz, IP44
- -Pressure: Maximum 3,5 bar
- -Flow: 1,8 A
- -Debi: 250 Lt/dak
- -Compressor power: Yakl. 0,25 Nm³/ mins
- Inductive resistance: 9,9 Ω
- Operating pressure: Maximum 6 bar



TECHNICIAL SPECIFICATIONS this is a mixing shaft which makes mortar by mixing plaster and

cement based liquids







# **Gypsum Machines**



### Definition of T8

It mixes and pumps the powder mortar and water suitable for all kinds of machines.

It is innovative and powerful model for interior and exterior applications.

ESM T8 gypsum plaster machine is the most preffered model by experts esm is a ready-to-use plastering machine which mixes all kinds of dry mix materials on gypsum or cement basis continuously and fully automatically in a homogeneous state.

### **PROPERTIES**

Easy to handle water armatüre suitable for D and R sorts of pumps wide tool box fully automatic compressor and water engine shutdown and single run principle technical data

# ESM T4



## TECHNICAL INFORMATION

Product Code: ESM T8

Carrying Capacity:25-30 lt/ per min

Carrying Height: 30 M. Pump Motor: 5.5 KW 400 V

Mill Motor: 0.55 KW 400 V Compressor

Capacity: 220 L/MÍNS Water Pressure: 3 BAR Voltage: 400 V 50 HZ

### **FEATURES**

Pump: D6-3 TWISTER

SPRAY GUN: LONG DN-25 Mortar and Air Hose: 15 M. Mixing Shaft: THERE IS Control Board: 42 V. Cleaning set: THERE IS Compressor: THERE IS Power cord: 50 M.

## **ESM PLASTER MACHINES**

Export contact number

+90 532 709 9015

www.toryapgrup.ro

export@toryapgrup.ro

**ESM MACHINE** 



# ESM T4

Office: Erikli Mah. Eylül Cad. No:60/A Yıldırım / BURSA / TURKEY

E-mail: export@toryapgrup.ro Web: www.toryapgrup.ro